

```

<?php
include "adminheader.inc";

echo "<h2>Edit Product List</h2><hr>";

function check_mysql()
{
    if(mysql_errno()>0)
    {
        die("<br>" . mysql_errno().": " .mysql_error()."<br>");
    }
}

$dbh=mysql_connect ("localhost","jstalin","01417318");
if (!$dbh)
{
    die ("Failed to open the Database");
}

mysql_select_db("jstalin");
check_mysql();

if(!isset($id))
{
    $id=0;
}

if(isset($previous))
{
    $query = "SELECT id, product_name, product_number, product_price, product_description
            FROM products WHERE id < $id ORDER BY id DESC";
    $result = mysql_query($query);
    check_mysql();
    $row = mysql_fetch_row($result);
    check_mysql();
    if ($row[0] > 0)
    {
        $id                = $row[0];
        $product_name      = $row[1];
        $product_number    = $row[2];
        $product_price     = $row[3];
        $product_description = $row[4];
    }
}

elseif (isset($next))
{
    $query = "SELECT id, product_name, product_number, product_price, product_description
            FROM products WHERE id > $id ORDER BY id ASC";
    $result = mysql_query($query);
    check_mysql();
    $row = mysql_fetch_row($result);
    check_mysql();
    if ($row[0] > 0)
    {
        $id                = $row[0];
        $product_name      = $row[1];
        $product_number    = $row[2];
        $product_price     = $row[3];
        $product_description = $row[4];
    }
}
}

```

```

elseif (isset($search))
{
    $id=0;
    $query = "SELECT id, product_name, product_number, product_price, product_description
              FROM products WHERE product_name LIKE '%$product_name%' AND id > $id";
    $result = mysql_query($query);
    check_mysql();
    $row = mysql_fetch_row($result);
    check_mysql();
    if ($row[0] > 0)
    {
        $id          = $row[0];
        $product_name = $row[1];
        $product_number = $row[2];
        $product_price = $row[3];
        $product_description = $row[4];
    }
}

elseif (isset($add))
{
    $query = "INSERT INTO products (product_name, product_number, product_price,
                                   product_description)
              VALUES ('$product_name', '$product_number', '$product_price',
                       '$product_description')";
    $result = mysql_query($query);
    check_mysql();
    $id = mysql_insert_id();
    $message = "Product Added";
}

elseif (isset($update))
{
    $query = "UPDATE products
              SET product_name='$product_name', product_number='$product_number',
                  product_price='$product_price', product_description='$product_description'
              WHERE id = $id";
    $result = mysql_query($query);
    check_mysql();
    $id = mysql_insert_id();
    $message = "Product Updated";
}

elseif (isset($delete))
{
    $query = "DELETE FROM products WHERE id = $id";
    $result = mysql_query($query);
    check_mysql();
    $product_name = "";
    $product_number = "";
    $product_price = "";
    $product_description = "";
    $message = "Product Deleted";
}

$product_name = trim($product_name);
$product_number = trim($product_number);
$product_price = trim($product_price);
$product_description = trim($product_description);
?>

```

```
<form method="post" action="editproduct.php">

<p><b>Product Name</b>
<br><input type="text" name="product_name" <?php echo "VALUE=\"\$product_name\"" ?>> </p>

<p><b>Product Number</b>
<br><input type="text" name="product_number" <?php echo "VALUE=\"\$product_number\"" ?>> </p>

<p><b>Product Price</b>
<br><input type="text" name="product_price" <?php echo "VALUE=\"\$product_price\"" ?>> </p>

<p><b>Product Description</b>
<br>
  <textarea name="product_description" rows="8" cols="70" >

    <?php echo \$product_description ?>

  </textarea></p>

<br>
<input type="submit" name="previous" value="<">
<input type="submit" name="next" value=">">
<input type="submit" name="search" value="Search">
<br><br>

<input type="submit" name="add" value="Add">
<input type="submit" name="update" value="Update">
<input type="submit" name="delete" value="Delete">
<input type="hidden" name="id" <?php echo "VALUE=\"\$id\"" ?>>
</form>

<?php
if (isset(\$message))
{
  echo "<br>\$message";
}
include "footer.inc";
?>
```